







Introduction to GDOT Standard Files For Haestad



**Georgia Department of Transportation
Engineering Software TEAM**



I. Haestad GDOT Standard Engineering Libraries

A. Standard files for “In-House” and Consultants

B. HaestadALL.exe – loads all GDOT Haestad Engineering Library Files for StormCAD

1. Internal and External Web-Page Location:

<http://www.dot.ga.gov/doingbusiness/PoliciesManuals/roads/software/Pages/HaestadStandard.aspx>

2. Revision History

The latest revisions are listed on the “Haestad History” Web-Page:

<http://www.dot.ga.gov/doingbusiness/PoliciesManuals/roads/software/Pages/HaestadALLHistory.aspx>

II. Downloading and Running HaestadALL.exe

Exit all Haestad software programs.

Go to the R.O.A.D.S. “Haestad Standard Files Download” Web-page:

<http://www.dot.ga.gov/doingbusiness/PoliciesManuals/roads/software/Pages/HaestadStandard.aspx>


Click HaestadALL.EXE

“Download”

File	Rev. Date	Size	Download	Contact
HaestadALL Download Instructions	9/23/08	267kb		Solutions Center
HaestadALL EXE File	9/23/08	85kb	Download	Solutions Center
HaestadALL History	9/23/08	N/A	N/A	Solutions Center

(NOTE: The following screen captures reflect Windows XP SP2 Operating System Dialog and Message Boxes. Depending on the Operating System in use – the screen captures below may vary.)


The following screen should appear:



Click the "Save" button

(DO NOT run HaestadALL from the web page. If you run HaestadALL from the web page you will not get all the updated information).

A “Save As” dialog box similar to the screen capture below should appear:



Navigate to a temporary folder to store the downloaded file (recommend some place like "C:\My Documents") and click "Save"


Exit Internet Explorer

Close Haestad (if it is running)

Open Windows Explorer and navigate to the folder where you stored HaestadALL


Double click on HaestadALL.EXE

The WinZip Self-Extractor dialog box will appear. The WinZip Self-Extractor defaults to the "C:\\" drive. Most PCs in GDOT have the "C:\\" drive as the root drive. If "C:\\" is **NOT** the root drive, click on the window with the drive letter and change the drive to the appropriate drive that Haestad is installed on. Otherwise leave the drive letter as C:\. (Enter only the **Root Drive** – **DO NOT enter the full Haestad location path**).




Click "Unzip"

If a "Cisco Security Agent" Dialog should appear when running the HaestadALL executable – please select the "Yes to All" Command button. See Screen Capture below.




After the HaestadALL executable has completed processing - the following screen should appear:



(NOTE: the number of files is subject to change)

Click "OK"



Finally click "*Close*"

The GDOT standard Haestad files have been updated and saved in a default folder named **GDOTdata\Haestad**. (If this folder does not already exist – it will be created for you by the WinZip Self-Extractor). You are now ready to run the Haestad StormCAD Module and utilize the Engineering Libraries stored in **GDOTdata\Haestad**.